

# INDEX MAPS.

## T. 5 N., R. 1 E., 2<sup>nd</sup> Mer.

	128	128	128-129	127-129	127-129	127-129						
131	6	149	5	146	4	142	3	138	2	135	1	126
	150	149		145		142		138		134		
131	7	149	8	145	9	142	10	138	11	134	12	126
	150		148	145		141		137		134		
131	18	148	17	144	16	141	15	137	14	133	13	126
	150		148	144		140		137		133		
130	19	147	20	144	21	140	22	136	23	133	24	126
	151		147	143		140		136		132		
130	30	147	29	143	28	139	27	136	26	132	25	125
	151		146	143		139		135		132		
129	31	146	32	143	33	138	34	135	35	131	36	125
	123-124	123-124	123-124	123-124	123-124	123-125	123-125					

## T. 6 N., R. 1 E., 2<sup>nd</sup> Mer.

	159		158		158		158		157		157	
161	6	179	5	175	4	172	3	168	2	165	1	157
	180		179		175		172		168		164	
160	7	179	8	175	9	171	10	168	11	164	12	156
	180		178		174		171		167		164	
160	18	178	17	174	16	171	15	167	14	163	13	156
	180		177		174		170		167		163	
160	19	177	20	174	21	170	22	166	23	163	24	156
	181		177		173		169		166		162	
160	30	176	29	173	28	169	27	166	26	162	25	155
	181		176		173		169		165		162	
159	31	176	32	172	33	169	34	165	35	161	36	155
	153-154		153-154		153-154		153-154		153-154		153-155	

The figures on the lines refer to the page.

### South Boundary

West Between Towns 5 & 6 N. 1 E. 1<sup>st</sup> mile Rand<sup>m</sup>.

14.00 a Brook 10 lbs. wide C. S. South

31.50 a do 10 " " South

40.00 Set temp<sup>y</sup>. q<sup>r</sup>. Sec. post

80.00 Set temp<sup>y</sup>. (Mile post.

Land Rich, timber Beech Sugar &c

West 2<sup>nd</sup> Mile On Rand<sup>m</sup>. betw<sup>n</sup>. Towns 5 & 6 N. 1 E.

40.00 Set temp<sup>y</sup>. q<sup>r</sup>. Sec. post

80.00 Set temp<sup>y</sup>. (Mile post. Land &c. Same

West 3<sup>rd</sup> Mile On Rand<sup>m</sup>. betw<sup>n</sup>. Towns 5 & 6 N. 1 E.

40.00 Set temp<sup>y</sup>. q<sup>r</sup>. Sec. post

77.00 a Brook 25 lbs. wide C. S.

80.00 Set a temp<sup>y</sup>. (Mile post

Land hilly, timber Beech, Sugar &c.

West 4<sup>th</sup> Mile On Rand<sup>m</sup>. betw<sup>n</sup>. Towns 5 & 6 N. 1 E.

40.00 Set temp<sup>y</sup>. q<sup>r</sup>. Sec. post

74.00 a Brook 10 lbs. wide C. S.

80.00 Set temp<sup>y</sup>. (Mile post

Land rich, good for farming, timber Same as last m.

West 5<sup>th</sup> Mile On Rand<sup>m</sup>. betw<sup>n</sup>. Towns 5 & 6 N. 1 E.

40.00 Set temp<sup>y</sup>. q<sup>r</sup>. Sec. post

80.00 Set temp<sup>y</sup>. (Mile post. Land &c. Same

West 6<sup>th</sup> Mile On Random betw<sup>n</sup>. Towns 5 & 6 N. 1 E.

40.00 Set temp<sup>y</sup>. q<sup>r</sup>. Sec. post

83.00 a Brook 18 lbs. wide C. S. W.

86.12 Intersected 2<sup>nd</sup> Meridian South of Town corner.

Good farming, timber, Ash, Poplar &c

T6 N. R1 E. 2<sup>d</sup>. Mer. Indiana

East On S. boundy. of Sec. 31, T6 N. R1 E.

46.12 At the q. Sec. post on true line, from which  
a Sugar 12 m. dist. bears N58 E 40 lks. dist. of  
an Elm 12 " " " N2 E 16 " "86.12 At a post Cor. to Sec. 31 & 32, on true line, from which  
a Sugar 9 m. dist. bears N54 W 9 lks. dist. of  
a Sugar 10 " " " N45 E 6 " "

East On S. boundy. of Sec. 32, T6 N. R1 E.

40.00 At the q. Sec. post on true line from which  
an Ash 18 m. dist. bears N88 E 22 lks. dist. of  
a Do 20 " " " N74 W 12 " "80.00 At a post on true line Cor. to Sec. 32 & 33, from which  
a Beech 8 m. dist. bears S82 E 26 lks. dist. of  
a Do 12 " " " N46 W 24 " "

East On S. boundy. of Sec. 33, T6 N. R1 E.

40.00 At the q. Sec. post on true line, from which  
a Beech 8 m. dist. bears N72 E 31 lks. dist. of  
a Do 6 " " " S26 W 7 " "80.00 At a post on true line Cor. to Sec. 33 & 34, from which  
a Sugar 10 m. dist. bears S67 E 33 lks. dist. of  
a Do 12 " " " N73 W 19 " "

East On S. boundy. of Sec. 34, T6 N. R1 E.

40.00 At the q. Sec. post, on true line (bearing trees  
for some Cause crossed out by the Surveyor)80.00 At a post on true line Cor. to Sec. 34 & 35, from which  
a Beech 20 m. dist. bears S59 E 20 lks. dist. of  
a Do 8 " " " S81 W 18 " "

East On S. boundy. of Sec. 35, T6 N. R1 E.

40.00 At the q. Sec. post on true line, from which

# T6 N. R1 E 2<sup>nd</sup>, Mer Indiana

a Poplar 8 m. dist. bear, N45 E 15 lks. dist. of  
 a Beech 8 " " " N64 W 19 " "  
 80.00 Set a post on true line Cor. to Sec. 35 & 36, from which  
 a Sugar 12 m. dist. bear, S72 E 42 lks. dist. of  
 a Beech 20 " " " N42 W 33 " "

East On S. boundy. of Sec. 36, T6 N. R1 E.

40.00 At the q. Sec. post on true line, from which  
 a Beech 24 m. dist. bear, S24 W 29 lks. dist. of  
 a Sugar 12 " " " N43 E 13 " "  
 80.00 to the Town Corner.

East Boundary var. 7° 30' E.

North On E. boundy. of Sec. 36, T6 N. R1 E.

24.25 a Poplar 40 m. dist.

40.00 At the q. Sec. post, from which  
 a Beech 8 m. dist. bear, S56 E 8 lks. dist. of  
 a Sugar 12 " " " N71 W 11 " "

64.53 a P. Oak 20 " "

80.00 Set a post Cor. to Sec. 25 & 36, from which  
 a Beech 12 m. dist. bear, S38 E 14 lks. dist. of  
 a W. Oak 12 " " " N39 W 16 " "  
 Good farming land.

North On E. boundy. of Sec. 25, T6 N. R1 E.

28.50 a Brook 25 lks. wide E. W.

40.00 At the q. Sec. post, from which  
 a Dogw. 6 m. dist. bear, N46 E 5 lks. dist. of  
 a W. Oak 24 " " " N46 W 14 " "

46.60 a Poplar 30 " "

52.00 a Brook 10 lks. wide E. S. W.

80.00 Set a post Cor. to Sec. 24 & 25, from which  
 a Beech 12 m. dist. bear, S1 E 21 lks. dist. of



# T6 N. R1 E. 3<sup>d</sup>. Mer. Indiana

a W. Oak 12 mi. dist. bear N 32 E 20 lks. dist. of  
Sand timber &c. same as on the last mile

North On E. boundy. of Sec. 24, T6 N. R1 E.

40.00 Set the q. Sec. post, from which

a Hickory 12 mi. dist. bear N 80 E 12 lks. dist. of

a Beech 15 " " " N 18 E 22 " "

80.00 Set a post Cor. to Sec. 13 & 24, from which

a B. Oak 8 mi. dist. bear N 3 E 5 lks. dist. of

a do 8 " " " N 56 W 6 " "

Sand hilly thin Soil very brushy with Oak.

North On E. boundy. of Sec. 13, T6 N. R1 E.

40.00 Set the q. Sec. post, from which

an Elm 10 mi. dist. bear N 44 W 11 lks. dist. of

a do 8 " " " N 13 W 11 " "

40.50 a Brook 30 lks. wide E. S. W.

52.30 a W. Oak 30 mi. dist.

80.00 Set a post Cor. to Sec. 12 & 13, from which

a W. Oak 12 mi. dist. bear S 59 W 14 lks. dist. of

a Sugar 8 " " " N 64 W 14 " "

Sand hilly brushy thin Soil

North On E. boundy. of Sec. 12, T6 N. R1 E.

40.00 Set the q. Sec. post, from which

a Sugar 10 mi. dist. bear N 77 E 28 lks. dist. of

a do 6 " " " N 17 E 21 " "

40.50 a Brook 20 lks. wide E. W.

80.00 Set a post Cor. to Sec. 11 & 12, T6 N. R1 E. from

which a Hickory - mi. dist. bear S 50 W 25 lks. dist. of

a Beech 20 " " " N 28 E 13 " "

Sand timber &c. same as on the last mile

T6 N. R1 E. 2<sup>d</sup>. Mer. Indiana

North On E. boundy. of Sec. 1, T6 N. R1 E.

40.00 At the q. Sec. post, from which  
 a W. Oak 20 m. diam. bear S 22° W 8 lks. dist. of  
 a Hickory 6 " " " N 22° W 4 " "

80.00 At temp<sup>y</sup>. Town Cor. Land &c. same.  
 Surveyed by Arthur Amie, dls. Sur. - then  
 Continued by Alex<sup>a</sup>. Holmes dls. S.

84.50 a Creek 50 lks. wide C.P. S. M.

85.00 Intersected the West line 17.50 E. of Random  
 post (marked the Cor. for Towns 6 & 7 N. Ranges  
 1 & 2 E. from which  
 a Sugar 16 m. diam. bear S 32° E 11 lks. dist. of  
 a Hickory 14 " " " N 14° E 28 " "

North Boundy. March 26. 1811

West 1<sup>st</sup> Mile between Towns 6 & 7 N. R1 E.

27.00 a Brook 4 lks. wide C.P. S.

32.00 a do 3 " " " S.

40.00 At the q. Sec. post, from which  
 a Beech 6 m. diam. bear N 80° E 16 lks. dist. of  
 a Sugar 15 " " " S 67° W 19 " "

64.25 a W. Oak 18 " "

71.00 a Brook 30 lks. wide C.P. S.

80.00 At a post, Cor. to Secs. 35 & 36. 7<sup>th</sup> N. R1 E. from which  
 a Beech 24 m. diam. bear S 73° W 14 lks. dist. of  
 a Hickory 10 " " " S 74° E 27 " "  
 1<sup>st</sup> 1/2 mile bottom land, timber Sugar Beech, Elm  
 &c. last 1/2 mile post bottom & pt. hill timber beech  
 Sugar, Oak &c.

West 2<sup>nd</sup> Mile betw. Towns 6 & 7 N. R1 E. 2<sup>d</sup>. Mer.

6.00 a Brook 8 lks. wide C.P. S.

35.00 a do 3 " " " S.

# S 6 N. R 1 E. 2<sup>d</sup>. Mer. Indiana

40.00 Set a post for q. Sec. Cor. from which  
an Elm 12 in. dia. bears N 12 W 8 lks. dist. of  
a Maple 14 " " " S 46 W 24 " "  
Hilly Oak land.

67.00 a Brook 3 lks. wide C. S.

80.00 Set a post Cor. to Sec. 34 & 35, T 7 N. R 1 E. from which  
a W. Oak 30 in. dia. bears N 7 E 21 lks. dist. of  
a Do 16 " " " S 69 W 24 " "

Nest 3<sup>rd</sup> Mile betw. Towns 6 & 7 N. Range 1 E.

21.00 a Brook 10 lks. wide C. S. E.

40.00 Set the q. Sec. post, from which  
a Dogwood 5 in. dia. bears S 72 E 12 lks. dist. of  
a W. Oak 16 " " " N 30 W 26 " "  
hilly W. Oak land

62.00 a Brook 4 lks. wide C. S.

80.00 Set a post Cor. to Sec. 33 & 34, T 7 N. R 1 E. from which  
a Hickory 10 in. dia. bears N 37 W 5 lks. dist. of  
a W. Oak 15 " " " S 74 E 34 " "

Nest 4<sup>th</sup> (Mile) between Towns 6 & 7 N. R 1 E. 2<sup>d</sup>. Mer.

40.00 Set the q. Sec. post, from which  
a Chestnut Oak 24 in. dia. bears N 76 E 29 lks. dist. of  
a Dogwood 6 " " " S 27 W 24 " "

62.00 a Brook 3 lks. wide C. S. South

80.00 Set a post Cor. to Sec. 32 & 33, T 7 N. R 1 E. from which  
a B. Oak 12 in. dia. bears S 27 W 6 lks. dist. of  
a Do 8 " " " N 86 E 20 " "  
Hilly Oak land

Nest 5<sup>th</sup> Mile betw. Towns 6 & 7 N. R 1 E. 2<sup>d</sup>. Mer.

6.00 a Brook 3 lks. wide C. S. W.

29.00 a Do. 6 " " " N. W.

# T6 N. R1 E, 2<sup>d</sup>. Mer. Indiana

- 35.00 a Brook 25 lks. wide C.P. S. W.  
 40.00 At the q. Sec. post, from which  
 a Hickory 10 m. dist. bears N 84 E 32 lks. dist. &  
 a W. Oak 24 " " " N 65 W 34 " "  
 Part bottom, timber Oak, Sugar Elm &c.  
 43.00 a Brook 5 lks. wide C.P. S.  
 70.00 a Do 3 " " " S.  
 80.00 At a post Cor. to Sec. 31 & 32, T7 N. R1 E. from which  
 a Hickory 9 m. dist. bears N 37 E 17 lks. dist. &  
 a W. Oak 24 " " " N 15 W 25 " "  
 Silly Oak land.

West On 6<sup>th</sup> Mile between Towns 6 & 7 N. R1 E.

- 40.00 At the q. Sec. post, from which  
 a Chestnut 9 m. dist. bears S 71 E 19 lks. dist. &  
 a B. Oak 9 " " " N 23 W 9 " "  
 65.00 a Brook 10 lks. wide C.P. S. W.  
 79.00 a Do 10 " " " S. W.  
 80.00 At temp. Town Corner.

Surveyed by Alexander Holmes, D. S.

West Boundary, or 2<sup>d</sup>. Principal Meridian  
 Variation 7.66' E.

North 1<sup>st</sup> Mile between Towns 6 N. Range 1 E & 1 W

- 4.50 a Spring run 6 lks. wide C.P. S. E.  
 40.00 a Beech 10 m. dist. Marked for q. Sec. Cor.  
 43.10 a Beech 12 m. dist.  
 80.00 At a post Cor. to Sec. 25 & 36. T6 N. R1 W. from which  
 a W. Oak 30 m. dist. bears S 29 E 10 lks. dist. &  
 a Beech 10 " " " S 50 W 24 " "  
 Good farming land, timb. Beech, Oak, ash,  
 Walnut &c.



T6 N. R1 E. 2<sup>nd</sup> Mer. Indiana

North 2<sup>nd</sup> mile between Towns 6 & 6 St. Ranges 1 E & 1 W.

37.50 a Brook 8 hrs. wide C.P. W.

40.00 At the q. Sec. post, from which

a Buckeye 10 in. diam. bears N 7 E 27 hrs. dist. &

a Do 10 " " " N 60 W 3 " "

80.00 At a post Cor. to Sec. 24 & 25, T6 N. R1 W. from which

a Beech 8 in. diam. bears N 14 E 36 hrs. dist. &

a Do 12 " " " N 14 W 34 " "

Land timber &c. Same as on the last mile

North On 3<sup>rd</sup> mile betw. Towns 6 & 6 St. Ranges 1 E & 1 W.

1.00 a W. Oak 18 in. diam.

40.00 At the q. Sec. post from which

a Sugar 10 in. diam. bears N 18 W 10 hrs. dist. &

a Beech 8 " " " N 6 E 27 " "

73.25 a Brook 10 hrs. wide C.P. West

80.00 At a post Cor. to Sec. 13 & 24, T6 N. R1 W. from which

a Beech 10 in. diam. bears N 11 E 45 hrs. dist. &

a Do 8 " " " N 6 E 23 " "

Land timber &c. Same as on the last mile

North 4<sup>th</sup> mile betw. Towns 6 & 6 St. Ranges 1 E & 1 W.

13.22 a Brook 88 hrs. wide C.P. S. W.

40.00 At the q. Sec. post, from which

a Beech 12 in. diam. bears N 77 W 8 hrs. dist. &

a Do 9 " " " N 80 E 25 " "

80.00 At a post Cor. to Sec. 12 & 13, T6 N. R1 W. from which

a Beech 10 in. diam. bears N 6 W 23 hrs. dist. &

a Do 14 " " " N 81 W 19 " "

Land timber &c. Same as on the last mile.

North 5<sup>th</sup> mile betw. Towns 6 & 6 St. Ranges 1 E & 1 W.

10.50 a Brook 25 hrs. wide C.P. W.

T6 N R1 E. 2<sup>nd</sup> Mer. Indiana

- 40.00 Set the q. Sec. post, from which  
 a Beech 10 m. diam. bears N 59 E. 12 lks. dist. &  
 a W. Oak 12 " " " N 84 W 20 " "  
 80.00 Set a post Cor. to Sec. 1 & 12, T6 N. R1 W. from which  
 a Poplar 20 m. diam. bears N 66 E. 7 lks. dist. &  
 a W. Oak 12 " " " S 43 W 19 " "  
 Land hilly, timber Oak, Hickory, Spruce &c.

North 6<sup>th</sup> Mile between Towns 6 & 6 N. Ranges 1 E & 1 W.

- 40.00 Set the q. Sec. post, from which  
 a Hickory 10 m. diam. bears N 34 W 14 lks. dist. &  
 a Beech 10 " " " N 5 E 24 " "  
 75.50 a Brook 10 lks. wide C. P. W.  
 80.00 Set a post at the exact distance of 60 miles  
 from the South boundary.  
 Surveyed by Arthur Henrie D. S. — Then  
 Continued by Alex<sup>a</sup>. Holmes, D. S. to the Town Cor.  
 80.50 a Brook 10 lks. wide C. P. S. W.  
 83.00 Intersected my line at temp. post. Set a post.  
 Cor. to Towns 6 & 7 N. Ranges 1 E & 1 W. from which  
 a Sugar 10 m. diam. bears N 72 E 9 lks. dist. &  
 a Do 15 " " " N 66 W 17 " "

## Subdivision.

North Between Sec. 35 & 36, T6 N. R1 E. 2<sup>nd</sup> Mer.

- 4.50 a Beech 20 m. diam.  
 40.00 Set the q. Sec. post, from which  
 a Beech 20 m. diam. bears S 53 E 6 lks. dist. &  
 a Dogwood? 8 " " " N 18 W 6 " "  
 80.00 Set a post Cor. to Sec. 25, 26, 35, 36, from which  
 a Beech 6 m. diam. bears N 58 E 9 lks. dist. &  
 a Do 6 " " " N 60 W 17 " "  
 Land rolling, timber Poplar, Beech, Sugar &c.

# 6<sup>th</sup> N. R1 E. 2<sup>nd</sup> Mer. Indiana

East On Rand<sup>m</sup>. betw<sup>n</sup> Sec<sup>s</sup>. 25 & 36, 6<sup>th</sup> N. R1 E.

40.00 At temp<sup>y</sup>. of Sec. post

80.00 Intersected the c<sup>t</sup> of S. line 12 l<sup>th</sup>s. S. of the cor.

Land timber &c. Same as on the last mile

---

West Connected between Sec<sup>s</sup>. 25 & 36, 6<sup>th</sup> N. R1 E.

40.00 At the of Sec. post at av<sup>g</sup>. dist. from which

a Beech 6 m<sup>i</sup>. dia<sup>r</sup>. bears N 85 E 5 l<sup>th</sup>s. dist. of

as shown? — " " " S 85 W 12 " "

80.00 to Sec. Cor.

---

North Between Sec<sup>s</sup>. 25 & 26, 6<sup>th</sup> N. R1 E. 2<sup>nd</sup> Mer.

26.00 a W. Oak 24 m<sup>i</sup>. dia<sup>r</sup>.

40.00 At the of Sec. post, from which

a Beech 18 m<sup>i</sup>. dia<sup>r</sup>. bears S 50 E 24 l<sup>th</sup>s. dist. of

an Ash 8 " " " North 24 " "

76.50 a Brook 20 l<sup>th</sup>s. wide C<sup>t</sup>. of R.

80.00 At a post cor. to Sec<sup>s</sup>. 23, 24, 25 & 26, from which

a Sugar 8 m<sup>i</sup>. dia<sup>r</sup>. bears S 23 E 17 l<sup>th</sup>s. dist. of

a Do 6 " " " N 88 E 8 " "

Land timber &c. Same as on the last mile

---

East On Random between Sec<sup>s</sup>. 24 & 25, 6<sup>th</sup> N. R1 E.

5.50 a Brook 10 l<sup>th</sup>s. wide Q<sup>r</sup>. S.

40.00 At temp<sup>y</sup>. of Sec. post

80.12 Intersected the c<sup>t</sup> of S. line 16 l<sup>th</sup>s. N. of the cor.

Land, timber &c. Same as on the last mile

---

West On true line betw<sup>n</sup> Sec<sup>s</sup>. 24 & 25, 6<sup>th</sup> N. R1 E.

40.06 At of Sec. post at av<sup>g</sup>. dist. from which

a Beech 24 m<sup>i</sup>. dia<sup>r</sup>. bears S 39 W 22 l<sup>th</sup>s. dist. of

a B. Ash 6 " " " N 60 E 10 " "

80.12 to Sec. Cor.

---

# T6 N. R1 E. 2<sup>d</sup>. Mer. Indiana

North Between Sec. 23 & 24, T6 N. R1 E. 2<sup>d</sup>. Mer.

17.00 Blue Ash 10 in. diam.

40.00 Set the qf. Sec. post, from which  
a Sugar 20 in. diam. bear S 37° 20' E 20 lbs. dist. &  
a do 18 " " " S 66° E 25 " "

66.50 a Beech 10 in. diam.

80.00 Set a post Cor. to Sec. 13, 14, 23 & 24, T6 N. from which  
a B. Walnut 6 in. diam. bear S 46° 39' E 39 lbs. dist. &  
a Beech 20 " " " N 14° E 21 " "  
Land, timber &c. same as on the last mile

East On Rand<sup>m</sup>. betw<sup>m</sup>. Sec. 13 & 24, T6 N. R1 E.

40.00 Set temp<sup>y</sup>. qf. Sec. post

80.00 Intersected the E. of S. line 75 lbs. N. of corner  
Land & timber &c. same as on the last mile

Post on true line betw<sup>m</sup>. Sec. 13 & 24, T6 N. R1 E.

40.00 Set the qf. Sec. post, from which  
a Beech 8 in. diam. bear S 70° E 31 lbs. dist. &  
a Sugar 6 " " " S 18° W 19 " "

80.00 to Sec. cor.

North Between Sec. 13 & 14, T6 N. R1 E. 2<sup>d</sup>. Mer.

12.00 Spring branch 5 lbs. wide E. & E.

40.00 Set the qf. Sec. post, from which  
a Beech 30 in. diam. bear S 57° E 14 lbs. dist. &  
a Sugar 13 " " " N 11° W 38 " "

68.50 a Brook 20 lbs. wide E. & W.

80.00 Set a post Cor. to Sec. 11, 12, 13 & 14, T6 N. R1 E.  
from which a Beech 10 in. diam. bear S 25° E 25 lbs. dist. &  
a do 20 " " " N 25° W 25 " "  
Land, timber &c. same, as on the last mile



T6 N. R1 E. 2<sup>d</sup>. Mer. Indiana

East On Random between Sec. 12 & 13, T6 N. R1 E.  
 40.00 At temp<sup>y</sup>. of Sec. post  
 42.00 a Brook 50 lks. wide C.P. N.W.  
 79.80 Intersected the N & S. line 100 lks. N. of corner.  
 Land timber &c. same as on the last mile

---

West Corrected between Sec. 12 & 13, T6 N. R1 E.  
 39.90 At of Sec. post at a of dist. from which  
 an Ironwood 6 m. dia. bears South 2 lks. dist of  
 79.80 to Sec. Corner.

---

North Between Sec. 11 & 12, T6 N. R1 E. 2<sup>d</sup>. Mer.  
 1.50 a Brook 50 lks. wide C.P. W.  
 30.00 a Do 5 " " " W.  
 40.00 At the of Sec. post, from which  
 a Sugar 6 m. dia. bears South 17 lks. dist of  
 a Do 8 " " " S 50 W 10 " "  
 47.50 a Sugar 20 " "  
 72.00 a Brook 12 lks. wide C.P. S.W.  
 80.00 At a post Cor. to Sec. 1, 2, 11, 12, from which  
 a D. Walnut 18 m. dia. bears S 15 W 25 lks. dist of  
 a Sugar 8 " " " N 4 W 21 " "  
 Land timber &c. same as on the last mile

---

East On Randm. betw<sup>n</sup>. Sec. 11 & 12, T6 N. R1 E.  
 40.00 At temp<sup>y</sup>. of Sec. post.  
 79.50 Intersected the N & S. line 110 lks. N. of the corner.  
 Land very brushy wood with green briars

---

West On true line between Sec. 11 & 12, T6 N. R1 E.  
 39.75 At the of Sec. post at a of dist. from which  
 a W. Oak 18 m. dia. bears S 5 W 18 lks. dist of  
 a W. Ash 5 " " " N 26 W 6 " "

# T6 N. R1 E. 2<sup>nd</sup> Mer. Indiana

79.50 to Section Corner.

---

North Between Sec. 1 & 2, T6 N. R1 E. 2<sup>nd</sup> Mer.  
 18.00 a Brook 75 lns. wide C.P. S.W.  
 30.00 Same 75 " " " S.E.  
 40.00 Let the q. Sec. post, from which  
     an Elm 12 in. diam. bears S 39° W 43 lns. dist. &  
     a P. Walnut 20 " " " N 30° E 13 " "  
 56.00 a Brook 50 lns. wide C.P. S.W.  
 70.00 a do 12 " " " S.W.  
 82.50 Intersected the st. boundry. 321 lns. E. of the Cor.  
     Let a post Cor. to Sec. 1 & 2, from which  
     a Beech 18 in. diam. bears S 54° W 24 lns. dist. &  
     an Ironw. 6 " " " S 24° E 11 " "  
 Land, timber &c. same. March 27<sup>th</sup> 1814.

---

North Between Sec. 34 & 35, T6 N. R1 E.  
 16.50 a Brook 12 lns. wide C.P. S.W.  
 40.00 Let the q. Sec. post, from which  
     a Beech 20 in. diam. bears N 54° E 12 lns. dist. &  
     a do 8 " " " N 7° W 37 " "  
 80.00 Let a post Cor. to Sec. 26, 27, 34 & 35, from which  
     a Beech 12 in. diam. bears S 56° W 10 lns. dist. &  
     an Ash 10 " " " N 89° W 26 " "  
 Land rolling, timber Beech, Sugar, Poplar, ash, Oak  
 and Hickory.

---

East On Random between Sec. 26 & 35, T6 N. R1 W  
 40.00 Let temp. q. Sec. post  
 80.00 Intersected the st. line 20 lns. S. of the Cor.  
 Land timber &c. same as on the last mile

---

West On true line between Sec. 26 & 35, T6 N. R1 E.

# Sec. 1 - R1 E. 2<sup>nd</sup>, Mer. Indiana

40.00 Set of Sec. post at av. dist. from which  
 a W. Oak 10 in. diam. bran N 76 E 48 lbs. dist. of  
 a Beech 20 " " " N 37 W 23 " "  
 80.00 to Sec. Cor.

---

North Between Sec. 26 & 27, Sec. 1 - R1 E. 2<sup>nd</sup>, Mer.

40.00 a Brook 30 lbs. mixed C.P. W.

40.00 Set the of Sec. post, from which  
 a Sugar 12 in. diam. bran South 75 lbs. dist. of

80.00 Set a post Cor. to Sec. 22, 23, 26 & 27, from which  
 a Hickory 6 in. diam. bran N 12 W 12 lbs. dist. of  
 a Beech 6 " " " S 40 W 7 " "  
 Land hilly, timber Beech, Oak, Hickory &c

---

East On Random between Sec. 23 & 26, Sec. 1 - R1 E.

40.00 Set temp. of Sec. post

80.23 Intersected the N & S. line 8 lbs. S. of the Cor.  
 Land timber &c. Same as on the last mile

---

West on true line between Sec. 23 & 26, Sec. 1 - R1 E.

40.11 a Beech 24 in. diam. of Sec. Cor.

80.23 to Sec. Cor.

---

North Between Sec. 22 & 23, Sec. 1 - R1 E. 2<sup>nd</sup>, Mer.

28.50 a Beech 10 in. diam.

40.00 Set the of Sec. post, from which  
 a Beech 6 in. diam. bran N 11 E 15 lbs. dist. of  
 a Do 12 " " " S 62 E 19 " "

80.00 Set a post Cor. to Sec. 14, 15, 22 & 23, Sec. 1 - R1 E.  
 a Beech 12 in. diam. bran N 38 W 25 lbs. dist. of  
 an Iron? 6 " " " S 38 E 3 lbs. dist.  
 Land &c. Same as on the last mile,

---

# T6 N. R1 E. 2<sup>nd</sup> Mer. Indiana

East On Random between Sec. 14 & 23, T6 N. R1 E.

40.00 At temp<sup>y</sup>. of Sec. post

80.20 Intersected the N. & S. line 18 lks. N. of Sec. Corner  
Land timber &c. Same as on the last mile

West On true line between Sec. 14 & 23, T6 N. R1 E.

40.10 At the of. Sec. post, <sup>at avg. dist.</sup> from which

a Beech 18 in. dia. bears N109°11 lks. dist. &

a Do 10 " " " S50°17 " "

80.20 to Sec. Corner.

North Between Sec. 14 & 15, T6 N. R1 E. 2<sup>nd</sup> Mer.

40.00 At the of. Sec. post. from which

a Beech 18 in. dia. bears N43°27 lks. dist. &

a Do 20 " " " S53°26 " "

65.00 a Brook 100 lks. wide E. & W.

80.00 At a post Cor. to Sec. 10, 11, 14, 15, from which

a W. Oak 12 in. dia. bears N46°25 lks. dist. &

a Do 10 " " " S87°25 " "

Land, timber &c. Same as on the last mile

East On Rand<sup>m</sup>. betw<sup>n</sup>. Sec. 11 & 14, T6 N. R1 E.

15.50 a Brook 100 lks. wide E. & S. W.

40.00 At temp<sup>y</sup>. of Sec. post

67.50 a Brook 20 lks. wide E. & W.

80.00 Intersected the N. & S. line 12 lks. S. of the Cor.

Land timber &c. Same as on the last mile

West On true line betw<sup>n</sup>. Sec. 11 & 14, T6 N. R1 E.

40.00 At of. Sec. post at avg. dist. from which

a W. Oak 20 in. dia. bears West 40 lks. dist.

80.00 to Sec. Corner.



# T6 N. R1 E. 2<sup>nd</sup> Mer. Indiana

North Between Sec. 10 & 11, T6 N. R1 E. 2<sup>nd</sup> Mer.

40.00 Set the g. Sec. post, from which  
a Hickory 7 in. diam. bears N 7 E 35 lbs. dist. &  
a Gum 6 " " " N 79 E 7 " "

80.00 Set a post Cor. to Sec. 2, 3, 10, 11, from which  
a Poplar 10 in. diam. bears S 55 E 3 lbs. dist. &  
a Chestnut 12 " " " S 27 W 13 " "

Sand, timber &c. Same as on the last mile

East On Random between Sec. 2 & 11

40.00 Set temp. g. Sec. post

70.00 a Brook 50 lbs. wide C. S. W.

80.10 Intersected the N & S. line 12 lbs. S. of the Cor.  
Sand timber &c. Same as on the last mile

West On true line, between Sec. 2 & 11, T6 N. R1 E.

40.05 Set the g. Sec. post at anj. dist. from which  
a B. Oak 20 in. diam. bears N 10 W 13 lbs. dist. &  
a Dogw. 6 " " " S 5 W 11 " "

80.10 to Sec. Corner.

North Between Sec. 2 & 3, T6 N. R1 E. 2<sup>nd</sup> Mer.

40.00 Set the g. Sec. post, from which  
a Chestnut 10 in. diam. bears N 25 E 16 lbs. dist. &  
a B. Oak 12 " " " S 23 E 12 " "

47.00 a B. Oak 12 " "

74.00 a Brook 10 lbs. wide C. S. E.

84.00 Intersected the N. boundy. 300 lbs. E. of the Cor.

Set a post Cor. to Sec. 2 & 3, from which

a B. Oak 20 in. diam. bears S 53 E 18 lbs. dist. &

a Dogwood 6 " " " N 32 W 18 " "

Sand, hilly thin Soil, timber Oak, Chestnut,

Hickory &c. March 28<sup>th</sup> 1814

T6 N. R1 E. T<sup>h</sup>. Meridian Indiana

North Between Sec<sup>s</sup>. 33 & 34, T6 N. R1 E.

40.00 Set the q<sup>r</sup>. Sec. post from which  
a Beech 12 in. diam. bears S15W 27 lks. dist. &  
a Do 18 " " " N88E 12 " "

78.00 a Brook 10 lks. wide Cr. S. E.

80.00 Set a post Cor. to Sec<sup>s</sup>. 27, 28, 33 & 34, from which  
a Beech 10 in. diam. bears N89E 30 lks. dist. &  
a Do 18 " " " N43E 24 " "  
Land rich rolling, timber Beech, Poplar &c.

East On Random betw<sup>n</sup>. Sec<sup>s</sup>. 27 & 34, T6 N. R1 E.

40.00 Set temp<sup>y</sup>. q<sup>r</sup>. Sec. post

63.00 a Brook 30 lks. wide Cr. South

79.98 Intersected the N & S. line 10 lks. South of the Cor.  
Land, timber &c. Same as on the last mile

West On true line betw<sup>n</sup>. Sec<sup>s</sup>. 27 & 34, T6 N. R1 E.

39.99 Set q<sup>r</sup>. Sec. <sup>post</sup> at a q<sup>r</sup>. dist. on true line from which  
an ash 10 in. diam. bears N88E 47 lks. dist. &  
a Fr. Oak 10 " " " N29W 8 " "

79.98 to Sec. Corner.

North Between Sec<sup>s</sup>. 27 & 28, T6 N. R1 E.

40.00 Set the q<sup>r</sup>. Sec. from which  
a Sugar 20 in. diam. bears S3E 50 lks. dist. &  
a Beech 6 " " " N20W 7 " "

56.50 a Beech 20 " "

80.00 Set a post Cor. to Sec<sup>s</sup>. 21, 22, 27, 28, from which  
a Beech 6 in. diam. bears S24E 4 lks. dist. &  
a Do 20 " " " N73W 22 " "  
Land timber &c. Same, as on the last mile

East On Rand<sup>m</sup>. betw<sup>n</sup>. Sec<sup>s</sup>. 22 & 27, T6 N. R1 E

T6 N. R1 E. 2<sup>nd</sup>. Mer. Indiana

40.00 At temp<sup>y</sup>. of Sec. post  
 56.00 a Brook 15 lks. wide Cr. South  
 75.50 a <sup>spring</sup> Branch 5 " " " South  
 80.00 Intersected the N & S. line 10 lks. N. of the Cor.  
 Sand timber &c. Same as on the last mile

---

West On true line, betw<sup>n</sup>. Sec<sup>s</sup>. 22 & 27, T6 N. R1 E.  
 40.00 At the of. Sec. post at av<sup>g</sup>. dist, from which  
 a Beech 18 in. dia. bears S 82° W 46 lks. dist, &  
 a Llo 18 " " " S 52° E 13 " "  
 80.00 To Sec. corner.

---

North Between Sec<sup>s</sup>. 21 & 22, T6 N. R1 E. 2<sup>nd</sup>. Mer.  
 6.50 a Spring branch 4 lks. wide Cr. Co.  
 40.00 At the of. Sec. post, from which  
 a Beech 8 in. dia. bears S 79° W 25 lks. dist, &  
 a Llo 18 " " " North 3 " "  
 80.00 At a post Cor. to Sec<sup>s</sup>. 15, 16, 21 & 22, from which  
 a Chestnut 12 in. dia. bears S 32° E 22 lks. dist, &  
 a W. Oak 6 " " " N 27° W 18 " "  
 Sand hilly, timber Oak, Hickory &c. thin soil

---

East On Rand<sup>m</sup>. betw<sup>n</sup>. Sec<sup>s</sup>. 15 & 22, T6 N. R1 E.  
 40.00 At temp<sup>y</sup>. of Sec. post  
 80.21 Intersected the N & S. line at the corner  
 Sand hilly thin soil

---

West On true line between Sec<sup>s</sup>. 15 & 22, T6 N. R1 E.  
 40.10 1/2 At of. Sec. post at av<sup>g</sup>. dist. from which  
 a Hickory 10 in. dia. bears East 25 lks. dist, &  
 a W. Oak 6 " " " S 48° E 4 " "  
 80.21 to Sec. corner.

---

# T6 N. R1 E. 2<sup>nd</sup> Mer. Indiana

North Between Secs. 15 & 16, T6 N. R1 E. 2<sup>nd</sup> Mer.

40.00 At the q. Sec. post, from which  
a Beech 10 mi. dist. bearing S 8 E 32 lks. dist. of  
a clo 18 " " " N 52 E 12 " "

58.00 a Brook 75 lks. wide C.P. W.

80.00 At a post Cor. to Secs. 9, 10, 15 & 16, from which  
a Beech 12 mi. dist. bearing S 6 E 13 lks. dist. of  
a clo 12 " " " N 65 E 17 " "  
Land rolling, timber Oak, Beech &c.

East On Random between Secs. 10 & 15, T6 N. R1 E.

26.00 a Brook 12 lks. wide C.P. S.

40.00 At temp. q. Sec. post

61.20 a Brook 20 lks. wide C.P. S.

80.00 Intersected the N & S line, 18 lks. N. of the Cor.  
Land timber &c. Same as on the last mile

West Between Secs. 10 & 15, T6 N. R1 E. on true line

40.00 At q. Sec. post, at a q. dist. from which  
a Beech 10 mi. dist. bearing N 74 E 28 lks. dist. of  
a W. Oak 12 " " " S 80 W 30 " "

80.00 to Sec. Cor.

North Between Secs. 9 & 10, T6 N. R1 E. 2<sup>nd</sup> Mer.

40.00 At the q. Sec. post, from which  
a W. Oak 20 mi. dist. bearing S 22 W 24 lks. dist. of  
a clo 12 " " " S 67 W 15 " "

71.00 a Brook 10 lks. wide C.P. S. W.

80.00 At a post Cor. to Secs. 3, 4, 9, 10, from which  
a W. Oak 12 mi. dist. bearing S 4 E 26 lks. dist. of  
a clo 20 " " " S 84 W 12 " "  
Land hilly, timber Oak, Hickory.



T6 N. R1 E. 2<sup>d</sup>. Mer. Indiana

East On/Random between Sec<sup>s</sup>. 3 & 10, T6 N. R1 E  
19.00 a Brook 12 lks. wide C.P.S.

40.00 Set temp<sup>l</sup> of. Sec. post

79.96 intersected the N & S. line at the corner.  
Land timber &c. same as on the last mile

West On true line between Sec<sup>s</sup>. 3 & 10, T6 N. R1 E  
39.98 Set of. Sec. post at a J. dist. from which  
a W. Oak 12 in. diam. bears N 48 W 33 lks. dist. of  
a Do 12 " " " S 65 E 33 " "

79.96 to Sec. Cor.

North Between Sec<sup>s</sup>. 3 & 4, T6 N. R1 E. 2<sup>d</sup>. Mer.  
24.50 a Chestnut 10 in. diam.

40.00 Set the of. Sec. post, from which  
a Dogwood 6 in. diam. bears South 3 lks. dist  
a Hickory 10 " " " N 12 W 7 " "

83.40 intersected the N. boundary 24 lks. E. of corner  
Set a post Cor. to Sec<sup>s</sup>. 3 & 4, T6 N. R1 E, from which  
a Hickory 10 in. diam. bears S 12 W 43 lks. dist. of  
a Do 9 " " " S 37 W 37 " "  
Land, timber &c. same March 29. 1814

North Between Sec<sup>s</sup>. 32 & 33, T6 N. R1 E. 2<sup>d</sup>. Mer.  
24.00 a Brook 6 lks. wide C.P. S. E.

40.00 Set the of. Sec. post, from which  
a Beech 20 in. diam. bears N 30 E 21 lks. dist. of  
an Ironw<sup>d</sup> 8 " " " S 62 W 4 " "

80.00 Set a post Cor. to Sec<sup>s</sup>. 28, 29, 32 & 33, from which  
a Beech 12 in. diam. bears S 70 E 35 lks. dist. of  
a Hickory 6 " " " N 31 E 19 " "  
Land rich, timber Beech, Poplar, Ash & Sugar

# T6 N. - N1E. 2<sup>d</sup>. Mer. Indiana

East On Random betw<sup>n</sup> Secs. 28 & 33, T6 N. N1E.

40.00 At temp<sup>y</sup>. q<sup>r</sup>. Sec. post

79.96 Intersected the N & S. line at the corner  
Land timber &c. same as on the last mile

West On true line between Secs. 28 & 33, T6 N. N1E.

39.98 At q<sup>r</sup>. Sec. post at av<sup>r</sup>. dist. from which  
a Beech 8 in. diam. bears N 89 W 48 lks. dist. &  
a Do 10 " " " S 46 E 12 " "

79.96 to Sec. Cor.

North Between Secs. 28 & 29, T6 N. N1E. 2<sup>d</sup>. Mer.

24.00 a Spring run 8 lks. wide C. S. W.

40.00 At the q<sup>r</sup>. Sec. post, from which  
a Sugar 8 in. diam. bears N 26 45 lks. dist. &  
a Do 10 " " " N 34 E 10 " "

62.00 a Brook 12 lks. wide C. S. W.

80.00 At a post Cor. to Secs. 20, 21, 28 & 29, from which  
a Beech 10 in. diam. bears N 27 W 48 lks. dist. &  
a W. Ash 5 " " " S 59 E 17 " "  
Land timber &c. same as on the last mile

East On Rand<sup>m</sup>. betw<sup>n</sup> Secs. 21 & 28, T6 N. N1E.

40.00 At temp<sup>y</sup>. q<sup>r</sup>. Sec. post

80.12 Intersected the N & S. line at the corner.  
Land timber &c. same as on the last mile

West Corrected between Secs. 21 & 28, T6 N. N1E.

40.06 At q<sup>r</sup>. Sec. post at av<sup>r</sup>. dist. on true line from which  
a Beech 20 in. diam. bears N 16 E 31 lks. dist. &  
a Do 10 " " " N 63 W 33 " "

80.12 to Sec. Corner.

# West R 1 E. 2<sup>nd</sup>. Mer. Indiana

North Between Sec. 20 & 21, T 6 N. R 1 E. 2<sup>nd</sup>. Mer.

40.00 At the q. Sec. post, from which

a Beech 6 in. diam. bears N 8 E 48 lbs. dist. of

a Do 18 " " " N 21 E 20 " "

57.00 a Brook 10 lbs. wide E. & N.W.

60.00 a Blue Ash 20 in. diam.

80.00 At a post Cor. to Sec. 16, 17, 20, 21, from which

a Beech 10 in. diam. bears N 12 E 33 lbs. dist. of

a Do 18 " " " N 55 W 13 " "

Land timber &c. same as on the last mile

East On Random betw. Sec. 16 & 21, T 6 N. R 1 E.

40.00 At temp. q. Sec. post, from

80.00 Intersected the N. & S. line 6 lbs. S. of corner.

Land timber &c. same as on the last mile

West On true line betw. Sec. 16 & 21, T 6 N. R 1 E.

40.00 At the q. Sec. post at anj. dist. from which

a W. Walnut 8 in. diam. bears N 35 E 9 lbs. dist. of

an Elm 6 " " " N 45 W 4 " "

80.00 to Sec. Cor.

North Between Sec. 16 & 17, T 6 N. R 1 E. 2<sup>nd</sup>. Mer.

24.00 a W. Oak 24 in. diam.

40.00 At the q. Sec. post, from which

a Beech 10 in. diam. bears N 61 E 19 lbs. dist. of

a Do 15 " " " N 1 E 40 " "

80.00 At a post Cor. to Sec. 8, 9, 16 & 17, from which

a Chestnut 18 in. diam. bears N 49 E 18 lbs. dist. of

a Do 8 " " " N 10 W 111 " "

Land hilly, timber Oak, Chestnut, Hickory &c.

East On Randm. between Sec. 9 & 16, T 6 N. R 1 E.

# Section R1E. 2<sup>nd</sup>. Mer. Indiana

37.00 a Brook 80 yds. wide C.S. N.W.  
 40.00 Set temp<sup>y</sup>. g. Sec. post  
 80.12 Intersected the N & S. line at the Corner.  
 Sand, timber &c. same as on the last mile

West On true line between Sec<sup>s</sup>. 9 & 16, T6 N. R1E.  
 40.06 Blackberry 12 mi. dia. Marked for g. Sec. Cor.  
 on true line at average dist.  
 80.12 to Sec. Cor.

## North Between Sec<sup>s</sup>. 8 & 9, T6 N. R1E. 2<sup>nd</sup>. Mer.

30.00 a Brook 100 yds. C.S. N.W.  
 40.00 Set the g. Sec. post, from which  
 a Beech 8 mi. dia. bears N 16 E 19 yds. dist. &  
 a Do 20 " " " S 71 W 8 " "  
 77.50 a W. Oak 20 " "  
 80.00 Set a post Cor. to Sec<sup>s</sup>. 4, 5, 8 & 9, T6 N. R1E.  
 from which a Beech 10 mi. dia. bears N 27 W 25 yds. dist. &  
 a Gum 7 " " " N 88 E 6 " "  
 Sand, timber &c. same as on the last mile

## East On Rand<sup>m</sup>. betw<sup>n</sup>. Sec<sup>s</sup>. 4 & 9, T6 N. R1E.

40.00 Set temp<sup>y</sup>. g. Sec. post  
 80.00 Intersected the N & S. line 12 yds. S. of the Cor.  
 Sand Timber &c. same as on the last mile

## West on true line between Sec<sup>s</sup>. 4 & 9, T6 N. R1E

40.00 Set g. Sec. post at av<sup>g</sup>. dist. from which  
 a W. Oak 10 mi. dia. bears N 88 W 33 yds. dist. &  
 a Do 10 " " " S 81 W 30 " "  
 80.00 to Sec. Cor.

## North Between Sec<sup>s</sup>. 4 & 5, T6 N. R1E. 2<sup>nd</sup>. Mer.



T6 N. R1 E. 2<sup>d</sup>. Mer. Indiana

- 40.00 At the q. Sec. post, from which  
a W. Oak 13 in. diam. bears N 9<sup>W</sup> 46 lks. dist. of  
a Do 12 " " " N 75 E 20 " "  
83.60 Intersected the N. Boundary 260 lks. E. of Corner.  
Set a post Cor. to Sec. 4 & 5, from which  
a B. Oak 10 in. diam. bears N 27<sup>W</sup> 17 lks. dist. of  
a Do 10 " " " N 87<sup>W</sup> 25 " "  
Land, timber &c. Same. March 30. 1814

North Between Sec. 31 & 32, T6 N. R1 E. 2<sup>d</sup>. Mer.

- 40.00 At the q. Sec. post from which  
a Sugar 10 in. diam. bears N 63<sup>W</sup> 3 lks. dist. of  
an Ironw. 6 " " " N 26 E 14 " "  
60.00 a Brook 18 lks. wide C. S. W.  
80.00 Set a post Cor. to Sec. 29, 30, 31 & 32, from which  
a Sugar 12 in. diam. bears N 88 E 27 lks. dist. of  
a Do 8 " " " N 67<sup>W</sup> 20 " "  
Land rich, timber Sugar, Beech, Poplar &c.

East On Random betw<sup>n</sup> Sec. 29 & 32, T6 N. R1 E.

- 5.00 a Brook 12 lks. wide C. S.  
40.00 At temp<sup>y</sup>. q. Sec. post  
80.06 Intersected the N & S. line, 8 lks. S. of the cor.  
Land timber &c. Same as on the last mile

West On true line, between Sec. 29 & 32, T6 N. R1 E.

- 40.03 At q. Sec. post at av. dist. from which  
an Ash 6 in. diam. bears N 88 E 17 lks. dist. of  
an Elm 10 " " " N 58<sup>W</sup> 22 " "  
80.06 to Sec. Cor.

North Between Sec. 29 & 30, T6 N. R1 E. 2<sup>d</sup>. Mer.

- 34.50 a Beech 20 in. diam. ~~bears~~

# T6 N. R1 E. 2<sup>nd</sup>. Mer. Indiana

- 40.00 Set the q. Sec. post, from which  
 a B. Ash 10 in. dia. bears N19E 3 lks. dist. &  
 a Sugar 8 " " " N39W 17 " "  
 80.00 Set a post Cor. to Secs. 19, 20, 29 & 30, from which  
 a Beech 7 in. dia. bears N28W 8 lks. dist. &  
 a Ho 7 " " " N79E 8 " "  
 Land rolling, timber Oak, Ash, Poplar, Walnut  
 Spice undergrowth.

- East On Random between Secs. 20 & 29, T6 N. R1 E.  
 40.00 Set temp. q. Sec. post  
 80.15 Intersected the N & S. line 10 lks. S. of Corner.  
 Land rich & rolling, timber same.

- West On true line between Secs. 20 & 29, T6 N. R1 E.  
 40.07 1/2 Set q. Sec. post at a q. dist. from which  
 a Beech 20 in. dia. bears N67W 14 lks. dist. &  
 a Dogwood 6 " " " N47E 13 " "  
 80.15 to Sec. Cor.

- North Between Secs. 19 & 20, T6 N. R1 E.  
 28.00 a Brook 10 lks. wide Cr. N. E.  
 40.00 Set the q. Sec. post, from which  
 a Sugar 10 in. dia. bears N14E 20 lks. dist. &  
 a Beech 10 " " " N30E 25 " "  
 55.00 a Brook 10 lks. wide Cr. N. W.  
 60.00 a Ho 20 " " " N W.  
 80.00 Set a post Cor. to Secs. 17, 18, 19 & 20, from which  
 an Ash 6 in. dia. bears N69W 18 lks. dist. &  
 a Beech 20 " " " N3E 14 " "  
 Land timber &c. same as on the last mile

- East On Rand<sup>m</sup>. betw<sup>n</sup>. Secs. 17 & 20, T6 N. R1 E.

T6 N. R1 E. 2<sup>nd</sup>. Mer Indiana

40.00 At temp<sup>y</sup>. g<sup>r</sup>. Sec. post  
 80.20 Intersected the N & S. line 18 lks. S. of the corner.  
 Land hilly, timber the same.

West On true line between Sec. 17 & 20, T6 N. R1 E.  
 40.00 At g<sup>r</sup>. Sec. post at asf. dist. from which  
 a Mulberry 10 in. diam. bears S 80 E 22 lks. dist. of  
 a Poplar 6 " " " S 19 W 4 " "  
 80.20 to Sec. Cor.

North Between Sec. 17 & 18, T6 N. R1 E. 2<sup>nd</sup>. Mer.  
 28.00 a Beech 10 in. diam.  
 40.00 At the g<sup>r</sup>. Sec. post, from which  
 a Beech 8 in. diam. bears N 4 W 25 lks. dist. of  
 a Do 20 " " " N 8 E 32 " "  
 58.00 a Brook 12 lks. wide C. S. W.  
 75.75 a Do 100 " " " N. W.  
 80.00 At a post Cor. to Sec. 7, 8, 17 & 18, from which  
 a Beech 20 in. diam. bears S 25 E. 14 lks. dist. of  
 a Do 24 " " " N 25 W 16 " "  
 Land, timber &c. same as on the last mile

East On Random between Sec. 8 & 17, T5 N. R1 E.  
 23.00 a Brook 100 lks. wide C. S. W.  
 40.00 At temp<sup>y</sup>. g<sup>r</sup>. Sec. post  
 80.00 Intersected the N & S. line 18 lks. N. of the cor.  
 Land timber &c. same as on the last mile.

West On true line betw<sup>n</sup>. Sec. 8 & 17, T6 N. R1 E.  
 40.00 At g<sup>r</sup>. Sec. post at asf. dist. on true line from  
 which a Beech 20 in. diam. bears West 20 lks. dist.  
 80.00 to Sec. Cor.

# Sec. 1 R1 E. 2<sup>d</sup>. Mer. Indiana

North Between Secs. 7 & 8, Sec. 1 R1 E. 2<sup>d</sup>. Mer.

40.00 At the q. Sec. post, from which  
a Beech 6 in. dia. bears South 20 lbs. dist. &  
a Do 5 " " " N 78 E 7 " "

78.00 a Brook 25 lbs. wide C. S. W.

80.00 Set a post Cor. to Secs. 5, 6, 7 & 8, from which  
an Ironwood 6 in. dia. bears S 59 E 11 lbs. dist. &  
a Do 5 " " " S 55 W 7 " "  
Land timber &c. same as on the last mile

East On Random between Secs. 5 & 8, Sec. 1 R1 E.

0.50 a Brook 25 lbs. wide C. S. W.

40.00 At temp. q. Sec. post.

80.25 Intersected the N & S line 18 lbs. S. of Corner.  
Land hilly, timber Oak

West on true line between Secs. 5 & 8, Sec. 1 R1 E

40.12 1/2 At q. Sec. post at a r. dist. from which  
a Beech 10 in. dia. bears N 73 W 3 lbs. dist. &  
a Do 10 " " " N 76 E 10 " "

80.25 to Sec. Corner.

North Between Secs. 5 & 6, Sec. 1 R1 E. 2<sup>d</sup>. Mer

34.00 a Brook 10 lbs. wide C. S. E.

40.00 At the q. Sec. post, from which  
a W. Oak 20 in. dia. bears N 16 E 31 lbs. dist. &  
a B. Oak 10 " " " S 76 W 11 " "

83.30 Intersected the N. boundary 24 1/2 lbs. E. of Cor.  
Set a post Cor. to Secs. 5 & 6, from which  
a W. Oak 18 in. dia. bears S 40 W 12 lbs. dist. &  
a Hickory 6 " " " S 20 E 9 " "  
Land hilly thin soil, timber Oak & Hickory

March 31<sup>st</sup> 1814



# T6 N. R1 E. 2<sup>d</sup>. Mer. Indiana

West Between Sec. 6 & 7, T6 N. R1 E. 2<sup>d</sup>. Mer.

17.50 a W. Oak 24 in. dia.

30.00 a Brook 10 lks. ~~dist~~ wide Cr. South

40.00 At the q. Sec. post, from which

a W. Oak 6 in. dia. bears S50°W 22 lks. dist. &

a Beech 8 " " " N22°E 10 " "

83.96 Intersected the 2<sup>d</sup>. Mer. 167 lks. S. of the Cor

Set a post Cor. to Sec. 6 & 7, from which

a Logwood 6 in. dia. bears N10°W 24 lks. dist. &

a W. Oak 20 " " " S71°E 15 " "

Sand Hilly, timber Oak & Hickory

West Between Sec. 7 & 18, T6 N. R1 E. 2<sup>d</sup>. Mer.

40.00 At the q. Sec. post, from which

a Beech 20 in. dia. bears S67°W 27 lks. dist. &

a Do 20 " " " N37°W 15 " "

53.00 a Pond 20 chains wide Covered with brush

83.60 Intersected the 2<sup>d</sup>. Mer. 81 lks. S. of the Corner.

Set a post Cor. to Sec. 7 & 18, from which

a Beech 12 in. dia. bears N77°E 19 lks. dist. &

a Do 10 " " " N25°W 22 " "

This line over flat land

West Between Sec. 18 & 19, T6 N. R1 E. 2<sup>d</sup>. Mer.

35.00 a Brook 25 lks. wide Cr. N.W.

37.50 a W. Oak 20 in. dia.

40.00 At the q. Sec. post, from which

a Sugar 8 in. dia. bears N79°E 30 lks. dist. &

a Beech 6 " " " N61°W 6 " "

83.40 Intersected the 2<sup>d</sup>. Mer. 31 lks. S. of Corner.

Set a post Cor. to Sec. 18 & 19, from which

a Beech 12 in. dia. bears S48°E 11 lks. dist. &

a Beech 10 " " " N48°W 18 " "

*T. C. N. R. E. 2<sup>d</sup>. Mer. Indiana*

*Sand rolling, timber Beech, Poplar &c.*

*Met Between Sec. 19 & 30, T. C. N. R. E. 2<sup>d</sup>. Mer.*

*30.00 a Brook 10 lks. wide C. S. N. W.*

*35.75 a Hickory 18 in. dia.*

*40.00 At the q. Sec. post, from which*

*a Beech 8 in. dia. bears N 26 W 10 lks. dist.*

*a Sugar 12 " " " S 67 E 12 " "*

*83.45 Intersected the 2<sup>d</sup>. Mer. 46 lks. South of Cor.*

*At a post Cor. to Sec. 19 & 30, from which*

*a Beech 18 in. dia. bears N 58 W 8 lks. dist.*

*a Ho 10 " " " S 60 W 30 " "*

*Sand rich & rolling, timber Sugar, Poplar, Ash &c.*

*Met Between Sec. 30 & 31, T. C. N. R. E. 2<sup>d</sup>. Mer.*

*40.00 At the q. Sec. post, from which*

*a Sugar 6 in. dia. bears S 80 E 34 lks. dist.*

*a Beech 10 " " " S 42 W 17 " "*

*83.54 Intersected the 2<sup>d</sup>. Mer. 23 lks. S. of Corner.*

*At a post Cor. to Sec. 30 & 31, from which*

*a W. Oak 24 in. dia. bears N 21 E 12 lks. dist.*

*a Beech 10 " " " S 21 W 13 " "*

*Sand Rolling & rich, timber Beech, Oak &c.*

*April 1<sup>st</sup> 1814*

*Surveyed by Arthur Menie, Dep. Sur.*

I certify that the foregoing transcript of field  
 notes of Township No. 6. N. Range No. 16 E. 2<sup>nd</sup>.  
 Mer. Indiana has been Comp.<sup>d</sup> with the origin-  
 al notes in this office, & found to be correct.

Surveyor General's Office  
 Cincinnati, Dec<sup>r</sup>. 16<sup>th</sup>. 1840

E. P. Grimes  
 Sur. Gen<sup>l</sup>.